

Traffic jams are contagious: Knowing how they spread can make them less common

April 8 2020, by Meead Saberi

The DynaMel model describes traffic flow in Melbourne. University of New South Wales. Credit: UNSW Sydney

Traffic jams may have disappeared from our roads as people stay home during the COVID-19 pandemic, but we can be confident they will be back. Scientists have studied traffic and congestion for decades.

We know a lot about how traffic jams form, how they spill from one

road to another, and also how can we stop them happening and help cities recover.

Our research shows that traffic congestion spreads through a city like a disease. Using this insight we have created a simple model based on a contagion model often used to predict the spread of illness, which produces results quickly and can help traffic controllers respond in real time to traffic jams.

The study, carried out with colleagues at the University of California, Berkeley, and Johns Hopkins University, is [published in *Nature Communications*](#) today.

Traffic history

The first [simple description of traffic flow](#) based on observations was published in 1933 by the American researcher Bruce Greenshields. This was only 25 years after the production of the first Ford Model T in 1908.

Greenshields used a movie camera to take consecutive pictures with a constant time interval to measure traffic. Since then, numerous data collection and modelling techniques have been developed.

Today, the most advanced method to measure and monitor traffic in cities uses anonymous location data from mobile phones with sophisticated mathematical and computer simulation models. The most recent example of such powerful data sources and analysis techniques are the [community mobility reports](#) recently released by Google, which show changes in mobility in cities around the world due to the spread of COVID-19.

Big traffic, big computing

Many existing models describe traffic well but require so much computational power that it is difficult to use them in real time for traffic control. In a large metropolitan area, these models often take tens of minutes or hours to run, even using cloud-based and other high-performance computing technologies.

While this may not sound like a big deal for transport planning purposes, it is actually one of the biggest hurdles for their use in practice for traffic operations and control. To overcome this challenge, scientists have more recently started searching for simpler ways of describing and predicting urban traffic congestion.

The model shows how congestion and recovery spread through a traffic network.

Traffic jams are contagious

Scientists use contagion models to describe the spread of an infectious disease in a population, as well as things like the spread of a computer or mobile phone virus through the internet and the spread of news or misinformation on social media.

We have shown that a similar modeling framework can be used to describe how traffic jams spread in cities. We adopted what is called the susceptible-infected-recovered (SIR) model, commonly used in epidemics, and applied it to traffic jams in Sydney, Melbourne, New York, Chicago, Montreal and Paris.

In the traditional model, epidemiologists divide a population into groups of people who are susceptible to a disease, people who are infected, and people who have recovered. In ours, we divide a road network into free-flowing roads, congested roads, and recovered roads.

Every road in the network belongs to one of these categories, and the state of traffic on each one can change over time. A free flow link might become congested and a congested link could become recovered as time passes.

Our new model shows that the spread of traffic congestion can be characterized with a universal measure similar to the basic reproduction number, known as R_0 in the epidemic models. This number represents how quickly congestion spreads through a city, independent of the topology, urban form and network structure of the city.

We empirically verified our results with traffic data from Google and a [computer simulation model](#) of the Melbourne metropolitan area.

How the contagion model can help

The new findings can be used for adaptive and predictive control of congestion in cities. While the model does not specify which streets are congested, it provides aggregate information on what percentage of links in the network are congested.

This information can be used to develop control strategies to cut down how long the congestion lasts or to keep the number of congested roads below an acceptable threshold.

Potential congestion mitigation strategies that could benefit from these findings include perimeter traffic control of city centers, improving signal timing and removal of bottlenecks.

More information: Meead Saberi et al. A simple contagion process describes spreading of traffic jams in urban networks, *Nature Communications* (2020). [DOI: 10.1038/s41467-020-15353-2](https://doi.org/10.1038/s41467-020-15353-2)

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

This story is part of [Science X Dialog](#), where researchers can report findings from their published research articles. [Visit this page](#) for information about ScienceX Dialog and how to participate.

Provided by The Conversation

Citation: Traffic jams are contagious: Knowing how they spread can make them less common (2020, April 8) retrieved 21 February 2024 from <https://sciencex.com/news/2020-04-traffic-contagious-lesscommon.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.