The first Australian evidence of a major shift in Earth's magnetic poles may help researchers predict the next

February 15 2021, by Agathe Lise-Pronovost

Credit: NASA

About 41,000 years ago, something remarkable happened: Earth's magnetic field flipped and, for a temporary period, magnetic north was south and magnetic south was north.

<u>Palaeomagnetists</u> refer to this as a geomagnetic excursion. This event, which is different to a complete magnetic pole reversal, occurs irregularly through time and reflects the dynamics of Earth's molten <u>outer core</u>.

The strength of Earth's magnetic field would have almost vanished during the event, called the Laschamp excursion, which lasted a <u>few thousand years</u>.

Earth's magnetic field acts as a shield against high-energy particles from the Sun and outside the solar system. Without it the planet would be bombarded by these charged particles.

We don't know when the next geomagnetic excursion will happen. But if it happened today, it would be crippling.

Satellites and navigation apps would be rendered useless—and power distribution systems would be disrupted at a cost of <u>between</u> US\$7 billion and US\$48 billion each day in the United States alone.

Obviously, satellites and electric grids didn't exist 41,000 years ago. But the Laschamp excursion—named after the lava flows in France where it was first recognised—still left its mark.

We recently detected its signature in Australia for the first time, in a 5.5 metre-long sediment core taken from the bottom of Lake Selina, Tasmania.

Within these grains lay 270,000 years of history, which we unpack in <u>our paper</u> published in the journal *Quaternary Geochronology*.

How sediment can record Earth's magnetic field

Rock and soil can naturally contain magnetic particles, such as the iron mineral <u>magnetite</u>. These magnetic particles are like tiny compass needles aligned with Earth's magnetic field.

They can be carried from the landscape into lakes through rainfall and wind. They eventually accumulate on the lake's bottom, becoming buried and locking in place. They effectively become a fossil record of Earth's magnetic field.

Scientists can then drill into lake beds and use a device called a magnetometer to recover the information held by the lake sediment. The deeper we drill, the further back in time we go.

In 2014 my colleagues and I traveled to Lake Selina in Tasmania with the goal of extracting the area's climate, vegetation and "paleomagnetic" record, which is the record of Earth's magnetic field stored in rocks, sediment and other materials.

Led by University of Melbourne Associate Professor Michael-Shawn Fletcher, we drilled into the lake floor from a makeshift floating platform rigged to two inflatable rafts.

Lake Selina is a small sub-alpine lake located near the west coast of Tasmania. Sediment from the lake was sampled in the form of 2x2cm cubes, each containing a few hundred years' worth of magnetic field history. Credit: Michael-Shawn Fletcher, Author provided

The first Australian evidence of Laschamp

Our dating of the core revealed that the biggest shift in magnetic pole positions and the lowest magnetic field intensity at Lake Selina both occurred during the Laschamp excursion.

But for a core that spanned several glacial periods, no single dating method could be trusted to precisely determine its age. So we employed numerous scientific techniques including radiocarbon dating and beryllium isotope <u>analysis</u>.

The latter involves tracking the presence of an isotope called beryllium-10. This is formed when high-energy cosmic particles bombard Earth, colliding with oxygen and nitrogen atoms in the atmosphere.

Since a weaker magnetic field leads to more of these charged particles bombarding Earth, we expected to find more beryllium-10 in sediment containing magnetic particles "locked-in" during the Laschamp excursion. Our findings confirmed this.

The interaction between charged cosmic particles and air particles in Earth's atmosphere is also what creates auroras. Several generations of people would have witnessed a plethora of spectacular auroras during the Laschamp excursion.

Building on work from the 1980s

Only two other lakes in Australia—Lake Barrine and Lake Eacham in Queensland—have provided a "full-vector" record, wherein both the <u>past directions</u> and <u>past intensity</u> of the magnetic field are obtained from the same core.

But at 14,000 years old, the records from these lakes are much younger than the Laschamp excursion. Four decades later, our work at Lake Selina with modern techniques has revealed the exciting potential for similar research at other Australian lakes.

Currently, Australia is considered a paleomagnetic "blind spot."

More data from lake sediments, archaeological artifacts, lava flows and mineral <u>cave formations</u>, including stalagmites and stalactites, could greatly improve our understanding of Earth's magnetic field.

With this knowledge, we may one day potentially be able to predict the next geomagnetic excursion, before our phones stop working and the birds overhead veer off-course and crash into windows.

Our dating of the Lake Selina core is just the start. We're sure there are more secrets embedded beneath, waiting to be found. And so we continue our search.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>. This story is part of <u>Science X Dialog</u>, where researchers can report findings from their published research articles. <u>Visit this page</u> for information about ScienceX Dialog and how to participate.

Provided by The Conversation

Citation: The first Australian evidence of a major shift in Earth's magnetic poles may help researchers predict the next (2021, February 15) retrieved 23 April 2024 from https://sciencex.com/news/2021-02-australian-evidence-major-shift-earth.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.