

# We're all ingesting microplastics at home—here are some tips to reduce your risk

April 28 2021, by Mark Patrick Taylor, Neda Sharifi Soltani and Scott P. Wilson

---

Credit: AI-generated image ([disclaimer](#))

Australians are eating and inhaling significant numbers of tiny plastics at home, our [new research](#) shows.

These "microplastics", which are derived from petrochemicals extracted

from oil and gas products, are settling in dust around the house.

Some of these particles are toxic to humans—they can carry carcinogenic or mutagenic chemicals, meaning they potentially cause cancer and/or damage our DNA.

We still don't know the true impact of these microplastics on human health. But the good news is, having hard floors, using more natural fibers in clothing, furnishings and homewares, along with vacuuming at least weekly can reduce your exposure.

## **What are microplastics?**

Microplastics are plastic particles less than five millimeters across. They come from a range of household and everyday items such as the clothes we wear, home furnishings, and food and beverage packaging.

We know microplastics are pervasive outdoors, reaching remote and inaccessible locations such as the [Arctic](#), the [Mariana Trench](#) (the world's deepest ocean trench), and the [Italian Alps](#).

Our study demonstrates it's an inescapable reality that we're living in a sea of microplastics—they're in our food and drinks, our oceans, and our homes.

## **What we did and what we found**

While research has focused mainly on microplastics in the natural environment, a [handful](#) of [studies](#) have looked at how much we're exposed to indoors.

People spend up to [90% of their time indoors](#) and therefore the greatest

risk of exposure to microplastics is in the home.

Our study is the first to examine how much microplastic we're exposed to in Australian homes. We analyzed dust deposited from indoor air in 32 homes across Sydney over a one-month period in 2019.

We [asked members of the public](#) to collect dust in specially prepared glass dishes, which we then analyzed.

We found 39% of the deposited dust particles were microplastics; 42% were natural fibers such as cotton, hair and wool; and 18% were transformed natural-based fibers such as viscose and cellophane. The remaining 1% were film and fragments consisting of various materials.

Between 22 and 6,169 microfibrils were deposited as dust per square meter, each day.

Here's how microplastics can be generated, suspended, ingested and inhaled inside a house. Credit: Monique Chilton, Author provided

Homes with carpet as the main floor covering had nearly double the number of petrochemical-based fibers (including [polyethylene](#), [polyamide](#) and [polyacrylic](#)) than homes without carpeted floors.

Conversely, [polyvinyl fibers](#) (synthetic fibers made of vinyl chloride) were two times more prevalent in homes without carpet. This is because the coating applied to hard flooring degrades over time, producing polyvinyl fibers in house dust.

## **Microplastics can be toxic**

Microplastics can carry a range of [contaminants](#) such as trace metals and some potentially [harmful organic chemicals](#).

These chemicals can leach from the plastic surface once in the body, increasing the potential for toxic effects. Microplastics can have [carcinogenic](#) properties, meaning they potentially cause cancer. They can also be mutagenic, meaning they can damage DNA.

However, even though some of the microplastics measured in our study are composed of potentially [carcinogenic and/or mutagenic compounds](#), the actual risk to human health is unclear.

Given the pervasiveness of microplastics not only in homes but in [food and beverages](#), the crucial next step in this research area is to establish what, if any, are [safe levels of exposure](#).

## **How much are we exposed to? And can this be minimized?**

Roughly a quarter of all of the fibers we recorded were less than 250 micrometers in size, meaning they can be inhaled. This means we can be internally exposed to these microplastics and any contaminants attached to them.

Using human exposure models, we calculated that inhalation and ingestion rates were greatest in children under six years old. This is due to their lower relative body weight, smaller size, and higher breathing rate than adults. What's more, young children typically have more contact with the floor, and tend to put their hands in their mouths more often than adults.

Children under six inhale around three times more microplastics than the average—18,000 fibers, or 0.3 milligrams per kilogram of body weight per year. They would also ingest on average 6.1 milligrams of microplastics in dust per kg of body weight per year.

For a five-year-old, this would be equivalent to eating a garden pea's worth of microplastics over the course of a year. But for many of these plastics there is no established safe level of exposure.

Our study indicated there are effective ways to minimize exposure.

First is the choice of flooring, with hard surfaces, including polished wood floors, likely to have fewer microplastics than carpeted floors.

Also, how often you clean makes a difference. Vacuuming floors at least weekly was associated with less microplastics in dust than those that were less frequently cleaned. So get cleaning.

**More information:** Neda Sharifi Soltani et al. Quantification and exposure assessment of microplastics in Australian indoor house dust, *Environmental Pollution* (2021). [DOI: 10.1016/j.envpol.2021.117064](https://doi.org/10.1016/j.envpol.2021.117064)

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#). *This story is part of [Science X Dialog](#), where researchers can report findings from their published research articles. [Visit this page](#) for information about ScienceX Dialog and how to participate.*

Provided by The Conversation

Citation: We're all ingesting microplastics at home—here are some tips to reduce your risk (2021, April 28) retrieved 26 April 2024 from <https://sciencex.com/news/2021-04-ingesting-microplastics-homehere.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.