

# Taking the pulse of a neutron star for almost five decades finds nearly cyclic spin changes on long time-scales

September 15 2021, by Amar Deo Chandra

---




Figure 1: Schematic of Vela X-1 X-ray binary system. The dotted arrows show the stellar wind emanating from the supermassive companion star which is all pervading. Credit: Amar Deo Chandra

The X-ray binary system Vela X-1 consists of a [neutron star](#) (which contains as much mass as our sun ( $\sim 10^{30}$  kg), but is very compact and has a radius of  $\sim 10$  km or so, about the size of a small city) and a

supermassive star with a mass of  $\sim 23$  times of our sun and that is  $\sim 34$  times bigger in size than our sun. The stars orbit around their common center of mass. The neutron star rotates once every  $\sim 283$  s and shines brightly in X-rays by [accreting](#) gas from the stellar wind emanating from the massive companion star. The captured gas falls in the strong gravitational potential of the neutron star and is funneled along its strong magnetic field, hitting its poles at high velocities, making them hot and generating thermal X-rays during the process. The magnetic axis and the rotation axis of the star are misaligned (like Earth), which generates X-ray pulses akin to a lighthouse beacon.

Exploring the rotation of Vela X-1 for  $\sim 46$  years using X-ray space observatories since 1975, a team of Indian scientists has constructed the longest known spin period history of an [X-ray pulsar](#). They found that the neutron star shows cyclic changes in spin period on long time scales of about 5.9 years, making Vela X-1 only the third known X-ray pulsar with such a long-term periodicity in spin changes. The pulsar also shows random spin period changes on shorter timescales, which is a hallmark of X-ray pulsars that accrete from the stellar wind from a companion star.

Slowing or speeding a bicycle requires external torque—braking to slow down, or pedaling harder to cycle faster. However, what causes intriguing slowing down or speeding up of a massive neutron star on both short (a few minutes to few days) and long time-scales (a few months to many years) has been a long-standing puzzle, and many attempts have been made to solve it to some extent in different X-ray binary systems. The scientists explore working of "astrophysical brakes" and "pedals" using theoretical models that could make Vela X-1 spin-up or spin-down on cyclic time scales of about 5.9 years. They suggest that the answer to this puzzle is probably blowing in the wind from the companion star! The companion star may itself undergo cyclic changes on time scales of about 5.9 years during which the amount of gas lost from the star

changes in a cyclic manner modulating those "astrophysical brakes" and "pedals."




Figure 2: Long-term spin history of Vela X-1 from 1975 February until 2021 June. The general trend of secular spin-down of the X-ray pulsar superposed on random episodes of spin-up and spin-down behaviour is discernible. The dashed curve shows the best fit polynomial to the spin evolution of Vela X-1. A careful look at the long-term pulse period evolution also suggests presence of 5.9 year cyclic trend in the long- term spin evolution of Vela X-1. The different markers indicate spin period measurements from 24 different X-ray space missions. Credit: Chandra et al. 2021

"This discovery opens a new paradigm of exploring spin changes on long time scales in other X-ray pulsars and attempts to understand the underlying phenomena which causes long-term nearly cyclic spin-changes in other X-ray pulsars," said Amar Deo Chandra, lead author on the new study.




Figure 3: An artist's conception of spin-up (left panel) and spin-down (right panel) scenario of a neutron star. When the external torque acts in the same sense (clockwise) as that of the rotation of the neutron star (clockwise) it causes the neutron star to rotate faster leading to spin-up of the neutron star (left panel). But if the external torque acts in the opposite sense (anti-clockwise) as that of the rotation of the neutron star then it acts like a “brake” and causes the neutron star to spin-down (right panel). Credit: Amar Deo Chandra

*This story is part of [Science X Dialog](#), where researchers can report findings from their published research articles. [Visit this page](#) for*

*information about ScienceX Dialog and how to participate.*

**More information:** Amar Deo Chandra, Jayashree Roy, P. C. Agrawal, Manojendu Choudhury, Detection of nearly periodic spin period reversals in Vela X-1 on long time-scales: inkling of solar-like cycle in the donor star?arXiv:2108.07097v1 [astro-ph.HE], [arxiv.org/abs/2108.07097](https://arxiv.org/abs/2108.07097)

Amar Deo Chandra is a final year PhD student (INSPIRE fellow ) at the Center of Excellence in Space Sciences India (CESSI) , IISER Kolkata. He obtained his Integrated MSc. in Physical Sciences from the UM-DAE Centre for Excellence in Basic Sciences. His current research interests span exploring light in laboratory settings to light/waves emanating from cosmic sources such as X-ray/radio pulsars and massive stars. Besides research, he is passionate about disseminating science to the masses through popular outreach talks, experimental demonstrations, print and the electronic media. [amarastro.github.io/](https://amarastro.github.io/)

Provided by Science X Dialog

Citation: Taking the pulse of a neutron star for almost five decades finds nearly cyclic spin changes on long time-scales (2021, September 15) retrieved 13 July 2025 from <https://sciencex.com/news/2021-09-pulse-neutron-star-decades-cyclic.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--